

Milliken® NX® UltraClear™

For thermoformed & foldable packaging

Polypropylene (PP) clarified with Millad® NX® 8000 gives PP parts a transparency boost that overcomes the traditional undesirable milky appearance of PP in thermoforming, creating highly-attractive transparency similar to PET and PS.

Clarity in Polypropylene never looked so good

NX UltraClear PP Benefits

Clarity

Cost efficient


- Lowest density

Sustainable

- Lower carbon footprint
- Lower weight
- Recyclable

Specific attributes

- Heat resistance
- Easy seal, easy peel
- Ductile



1 kg PET = 57 trays

1 kg PP = 70 trays

Microwaveability and hot fill

The material's excellent heat resistance further extends application opportunities by enabling microwaveability and hot fill capability.



Light weight solution

NX® UltraClear™ PP has the lowest density, allowing the lowest weight, resulting in a sustainable cost alternative solution.


NX[®] UltraClear[™]

For thermoformed & foldable packaging

NX[®] UltraClear[™] PP offers a cost-effective solution to the packaging trend for low carbon footprint materials and resource efficiency.


Low density of polypropylene

Number of parts produced with 1000 kg material*




*Calculations are based on the weight of 1 PP part = 100 g. Equivalent weights for 1 part of PE, PS, PVC and PET are calculated based on density difference.

Polypropylene is recyclable



Low carbon footprint during production of the granulate


Energy to produce raw material for 10,000 parts*



*Calculations are based on the weight of 1 PP part = 100 g.

High energy recovery values for polypropylene

Energy recovery of 10,000 parts*



*Calculations are based on the weight of 1 PP part = 100 g.

NX UltraClear Polypropylene can only be achieved by using PP resins that contain Millad NX 8000 clarifying agent, or by adding NX UltraClear to the PP resin.

Please contact your Milliken representative for further product information including chemical registrations, food contact status, and other regulatory details.

PLEASE NOTE: As each customer's use of our product may be different, information we provide, including without limitation, recommendations, test results, samples, care/labeling/processing instructions or marketing advice, is provided in good faith but without warranty and without accepting any responsibility/liability. Each customer must test and be responsible for its own specific use, further processing, labeling, marketing, etc. All sales are exclusively subject to our standard terms of sale posted at www.milliken.com/terms (all additional/different terms are rejected) unless explicitly agreed otherwise in a signed writing.

NORTH AMERICA
Spartanburg, SC, USA
Tel: 800-910-5592
Fax: 864-503-2430
millichem@milliken.com

EUROPE
Gent, Belgium
Tel: 32-9-265-1100
Fax: 32-9-265-1195
eurochem@milliken.com

LATIN AMERICA
Sao Paulo, Brazil
Tel: 55-11-3043-7942
Fax: 55-11-3043-7096
lachem@milliken.com

LATIN AMERICA
Mexico City, Mexico
Tel: 52-55-3088 3600
Fax: 52-55-9000 2643
lachem@milliken.com

ASIA
Singapore
Tel: 65-6377-0770
Fax: 65-6377-0990
asiachem@milliken.com

ASIA
Shanghai
Tel: 86-21 6145-5555
Fax: 86-21 6145-5558
asiachem@milliken.com

ASIA
Pune, India
Tel: 91.20.6730.7501
Fax: 91.20.6730.7514
asiachem@milliken.com